



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) AP-JF1-L

Product Name Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

NOTE [8] - No registration number is given for this substance because it is under the threshold in REACH Article 6(1) and not subject to the registration requirements according to REACH Title II

EC No 294-799-5

CAS No 91770-15-9

Chemical name Kerosine sweetened (D94/69 p1259) 4

Pure substance/mixture Substance

Formula -

Molecular weight -

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Laboratory use

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

LGC Limited
Queens Road
Teddington
Middlesex TW11 0LY
UNITED KINGDOM
:+44 (0) 20 8943 7000
Fax :+44 (0) 20 8943 2767
eMail : gb@lgcstandards.com

Web : www.lgcstandards.com

For further information, please contact

E-mail address sds-request@lgcgroup.com



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

1.4. Emergency telephone number

Emergency Telephone

For Hazardous Materials or Dangerous Goods Incident
Spill, Leak, Fire Exposure, or Accident
Call CHEMTREC:
USA & Canada 1-800-424-9300
Rest of the world +1 703-741-5970

| Emergency Telephone - §45 - (EC)1272/2008 | |
|---|---|
| Europe | 112 |
| Austria | No information available |
| Bulgaria | |
| Croatia | |
| Cyprus | |
| Czech Republic | |
| Denmark | |
| France | |
| Hungary | |
| Ireland | |
| Italy | |
| Lithuania | |
| Luxembourg | (+352) 8002 5500 Free telephone number with a 24/7 access in French, Dutch and English. |
| Netherlands | |
| Norway | |
| Portugal | |
| Romania | |
| Slovakia | |
| Slovenia | |
| Spain | |
| Sweden | |
| Switzerland | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

| | |
|--|---------------------|
| Aspiration hazard | Category 1 - (H304) |
| Skin corrosion/irritation | Category 2 - (H315) |
| Specific target organ toxicity — single exposure | Category 3 - (H336) |
| Chronic aquatic toxicity | Category 2 - (H411) |
| Flammable liquids | Category 3 - (H226) |



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

2.2. Label elements

294-799-5

Contains Kerosine sweetened (D94/69 p1259) 4



Signal word
Danger

Hazard statements

H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H336 - May cause drowsiness or dizziness
H411 - Toxic to aquatic life with long lasting effects
H226 - Flammable liquid and vapour

Precautionary Statements - EU (§28, 1272/2008)

P403 + P235 - Store in a well-ventilated place. Keep cool
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P273 - Avoid release to the environment
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor
P331 - Do NOT induce vomiting
P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish
P391 - Collect spillage

2.3. Other hazards

No information available.

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

| Chemical name | EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances of Very High Concern (SVHC) for Authorisation | EU - REACH (1907/2006) - Endocrine Disruptor Assessment List of Substances |
|-------------------------------------|---|--|
| Kerosine sweetened (D94/69 p1259) 4 | - | - |

SECTION 3: Composition/information on ingredients

3.1 Substances



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

| Chemical name | Weight-% | REACH registration number | EC No | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | M-Factor | M-Factor (long-term) |
|--|----------|---------------------------|-----------|---|------------------------------------|----------|----------------------|
| Kerosine sweetened (D94/69 p1259) 4 91770-15-9 | 100 | - | 294-799-5 | Flam. Liq. 3 (H226) Skin Irrit. 2 (H315) STOT SE 3 (H336) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411) | | | |

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

| Chemical name | Oral LD50 mg/kg | Dermal LD50 mg/kg | Inhalation LC50 - 4 hour - dust/mist - mg/L | Inhalation LC50 - 4 hour - vapour - mg/L | Inhalation LC50 - 4 hour - gas - ppm |
|--|-----------------|-------------------|---|--|--------------------------------------|
| Kerosine sweetened (D94/69 p1259) 4 91770-15-9 | 5000 | 2000 | No data available | No data available | No data available |

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Inhalation

Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

| | |
|---|--|
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists. |
| Ingestion | Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical advice/attention. |
| Self-protection of the first aider | Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. Remove all sources of ignition. See section 8 for more information. Avoid contact with skin, eyes or clothing. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-----------------|--|
| Symptoms | Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. |
|-----------------|--|

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|------------------------|---|
| Note to doctors | Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances. |
|------------------------|---|

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|---------------------------------------|---|
| Suitable Extinguishing Media | Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam. |
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |

5.2. Special hazards arising from the substance or mixture

| | |
|---|---|
| Specific hazards arising from the chemical | Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
|---|---|

5.3. Advice for firefighters

| | |
|---|--|
| Special protective equipment and precautions for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |
|---|--|



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Ensure adequate ventilation. See section 8 for more information. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Other information Refer to protective measures listed in Sections 7 and 8. Ventilate the area.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Store locked up. Keep out of the reach of children. Store away from other materials. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

8.2. Exposure controls

Personal protective equipment

| | |
|--|---|
| Eye/face protection | Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing safety goggles. |
| Hand protection | Wear suitable gloves. Impervious gloves. The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear protective nitrile rubber gloves. |
| Skin and body protection | Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots. |
| Respiratory protection | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. |
| General hygiene considerations | Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. |
| Environmental exposure controls | Do not allow into any sewer, on the ground or into any body of water. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|------------------------|--------------------------|
| Physical state | Liquid |
| Appearance | Liquid |
| Colour | clear |
| Odour | Petroleum distillates. |
| Odour threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|--|-------------------|-------------------------|
| Melting point / freezing point | No data available | None known |
| Initial boiling point and boiling range | No data available | None known |
| Flammability | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive | No data available | |



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

| | | |
|---------------------------------|--------------------------|--------------------------|
| limits | | |
| Flash point | > 38 °C | None known |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | | None known |
| pH | No data available | None known |
| pH (as aqueous solution) | No data available | No information available |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |
| Water solubility | No data available | None known |
| Solubility(ies) | No data available | None known |
| Partition coefficient | No data available | None known |
| Vapour pressure | No data available | None known |
| Relative density | No data available | None known |
| Bulk density | No data available | |
| Liquid Density | No data available | |
| Relative vapour density | No data available | None known |
| Particle characteristics | | |
| Particle Size | No information available | |
| Particle Size Distribution | No information available | |

9.2. Other information

Molecular weight -
Molecular formula -

9.2.1. Information with regards to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.
Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

| | |
|---------------------|--|
| Inhalation | Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. |
| Eye contact | Specific test data for the substance or mixture is not available. May cause irritation. |
| Skin contact | Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). |
| Ingestion | Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Numerical measures of toxicity

Acute toxicity



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------------------------|----------------------|-------------------------|------------------------|
| Kerosine sweetened (D94/69 p1259) 4 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 5.2 mg/L (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure May cause drowsiness or dizziness.

STOT - repeated exposure No information available.

Aspiration hazard May be fatal if swallowed and enters airways.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|-------------------------------------|----------------------|--|----------------------------|---|
| Kerosine sweetened (D94/69 p1259) 4 | - | LC50: =1740mg/L (96h, Lepomis macrochirus) LC50: =45mg/L (96h, Pimephales promelas) | - | LC50: =4720mg/L (48h, Den-dronereides heteropoda) |

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

| Chemical name | PBT and vPvB assessment |
|-------------------------------------|---------------------------------|
| Kerosine sweetened (D94/69 p1259) 4 | The substance is not PBT / vPvB |

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

Waste from residues/unused products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

IATA

| | |
|-----------------------------------|--|
| 14.1 UN number or ID number | UN1863 |
| 14.2 UN proper shipping name | Fuel, aviation, turbine engine |
| 14.3 Transport hazard class(es) | 3 |
| 14.4 Packing group | III |
| Description | UN1863, Fuel, aviation, turbine engine, 3, III |
| 14.5 Environmental hazards | Yes |
| 14.6 Special precautions for user | |
| Special Provisions | A3 |
| ERG Code | 3L |

IMDG

| | |
|--|---|
| 14.1 UN number or ID number | UN1863 |
| 14.2 UN proper shipping name | Fuel, aviation, turbine engine |
| 14.3 Transport hazard class(es) | 3 |
| 14.4 Packing group | III |
| Description | UN1863, Fuel, aviation, turbine engine, 3, III, (38°C c.c.), Marine pollutant |
| 14.5 Marine pollutant | P |
| Environmental hazards | Yes |
| 14.6 Special precautions for user | |
| Special Provisions | 223 |
| EmS-No | F-E, S-E No information available |
| 14.7 Maritime transport in bulk according to IMO instruments | No information available |

RID

| | |
|-----------------------------------|---|
| 14.1 UN number or ID number | UN1863 |
| 14.2 UN proper shipping name | Fuel, aviation, turbine engine |
| 14.3 Transport hazard class(es) | 3 |
| 14.4 Packing group | III |
| Description | UN1863, Fuel, aviation, turbine engine, 3, III, Environmentally Hazardous |
| 14.5 Environmental hazards | Yes |
| 14.6 Special precautions for user | |
| Special Provisions | None |
| Classification code | F1 |

ADR



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

| | |
|-----------------------------------|--|
| 14.1 UN number or ID number | UN1863 |
| 14.2 UN proper shipping name | Fuel, aviation, turbine engine |
| 14.3 Transport hazard class(es) | 3 |
| 14.4 Packing group | III |
| Description | UN1863, Fuel, aviation, turbine engine, 3, III, (D/E), Environmentally Hazardous |
| 14.5 Environmental hazards | Yes |
| 14.6 Special precautions for user | |
| Special Provisions | 664 |
| Classification code | F1 |
| Tunnel restriction code | (D/E) |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Germany

Water hazard class (WGK) obviously hazardous to water (WGK 2)

Poland

SDS created according to the following Polish regulation: Act of February 25, 2011 on chemical substances and their mixtures (Journal of Laws of 2018, item 143, as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency (EC) as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, as amended. Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classifying chemical substances and their mixtures (Journal of Laws of 2012, item 1018). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of hazardous substances and mixtures and some mixtures (Journal of Laws of 2012, item 445). Regulation of the Minister of Family, Labor and Social Policy of 12 June 2018 on the maximum allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286). Announcement of the Minister of Economy, Labor and Social Policy of August 28, 2003 on the publication of the unified text of the Ordinance of the Minister of Labor and Social Policy on general health and safety at work regulations (Journal of Laws of 2003, No. 169, item 1650). Regulation of the Minister of Health of 30 December 2004 on occupational safety and health related to the presence of chemical agents in the workplace (Journal of Laws of 2005, No. 11, item 86). Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21) Regulation of the Minister of Health of December 30, 2004 on occupational health and safety related to the presence of chemical agents in the workplace (Journal U. of 2005, No. 11, item 86). Waste Act of



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

December 14, 2012 (Journal of Laws of 2013, item 21). Act of 13 June 2013 on the management of packaging and packaging waste, Journal of Laws 2013, item 888). Government statement of September 24, 2002 - European Agreement on the International Carriage of Dangerous Goods by Road (ADR) (Journal of Laws No. 194, item 1629 and Journal of Laws of 2003, No. 207, item 2013 and 2014).

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

DIRECTIVE (EU) 2021/1187 on the marketing and use of explosives precursors

Not applicable

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS

P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA

DSL/NDL

EINECS/ELINCS

ENCS

IECSC

KECL

PICCS

AIIC

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H336 - May cause drowsiness or dizziness
H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
Ceiling Maximum limit value * Skin designation

| Classification procedure | |
|---|--------------------|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used |
| Acute oral toxicity | Calculation method |
| Acute dermal toxicity | Calculation method |
| Acute inhalation toxicity - gas | Calculation method |
| Acute inhalation toxicity - Vapour | Calculation method |
| Acute inhalation toxicity - dust/mist | Calculation method |
| Skin corrosion/irritation | Calculation method |
| Serious eye damage/eye irritation | Calculation method |
| Respiratory sensitisation | Calculation method |
| Skin sensitisation | Calculation method |
| Mutagenicity | Calculation method |
| Carcinogenicity | Calculation method |
| Reproductive toxicity | Calculation method |



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 30-Jun-2022

Revision Number 1

AP-JF1-L - Viscosity Reference Standard Low Temperature Type JF1-L, UKAS ISO 17025 / ISO 17034, 500 mL / AP Dual-branded

| | |
|--------------------------|-----------------------|
| STOT - single exposure | Calculation method |
| STOT - repeated exposure | Calculation method |
| Acute aquatic toxicity | Calculation method |
| Chronic aquatic toxicity | Calculation method |
| Aspiration hazard | Calculation method |
| Ozone | Calculation method |
| Flammable liquids | On basis of test data |

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 30-Jun-2022

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

End of Safety Data Sheet